

Datasheet for ABIN7464452

anti-HMOX1 antibody



\sim		_ ·:	
(11/01	`\/I	$\hookrightarrow \setminus \land \land$

Overview		
Quantity:	100 μL	
Target:	HMOX1	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This HMOX1 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunocytochemistry (ICC), Immunofluorescence (IF)	
Product Details		
Immunogen:	Recombinant protein encompassing a sequence within the center region of human Heme	
	Oxygenase 1. The exact sequence is proprietary.	
Clone:	GT664	
Isotype:	lgG1	
Cross-Reactivity:	Human	
Purification:	Affinity purified by Protein G.	
Target Details		
Target:	HMOX1	
Alternative Name:	heme oxygenase 1 (HMOX1 Products)	
Background:	Heme oxygenase 1, HMOX1D, HO-1, HSP32, bK286B10, Heme oxygenase, an essential	

	enzyme in heme catabolism, cleaves heme to form biliverdin, which is subsequently converted
	to bilirubin by biliverdin reductase, and carbon monoxide, a putative neurotransmitter. Heme
	oxygenase activity is induced by its substrate heme and by various nonheme substances.
	Heme oxygenase occurs as 2 isozymes, an inducible heme oxygenase-1 and a constitutive
	heme oxygenase-2. HMOX1 and HMOX2 belong to the heme oxygenase family. [provided by
	RefSeq]
Molecular Weight:	33 kDa
Gene ID:	3162
UniProt:	P09601
Pathways:	Transition Metal Ion Homeostasis, Regulation of Leukocyte Mediated Immunity, Positive
	Regulation of Immune Effector Process, Production of Molecular Mediator of Immune
	Response, SARS-CoV-2 Protein Interactome

Application Details

Application Notes:	WB: 1:500-1:3000. ICC/IF: 1:100-1:1000. Optimal dilutions/concentrations should be determined	
	by the researcher. Not tested in other applications.	
Comment:	Positive Control: HeLa , HeLa 500 μM CoCl2 treatment for 24 hr Validation: Orthogonal	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, No Preservative
Preservative:	Without preservative
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.