antibodies -online.com





Datasheet for ABIN7464478

anti-HIST2H2AA3 antibody (acLys5)



()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Overview		
Quantity:	100 μL	
Target:	HIST2H2AA3	
Binding Specificity:	acLys5	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HIST2H2AA3 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunoprecipitation (IP), Immunocytochemistry (ICC), Immunofluorescence (IF), Dot Blot (DB)	
Product Details		
Immunogen:	Carrier-protein conjugated synthetic peptide surrounding acetyl Lys5 of human Histone H2A. The exact sequence is proprietary.	
Isotype:	IgG	

Target Details

Cross-Reactivity:

Purification:

Human

Target:	HIST2H2AA3	
Alternative Name:	histone cluster 2, H2aa3 (HIST2H2AA3 Products)	

Purified by antigen-affinity chromatography.

Target Details

Background:	H2a-615 Antibody, H2A/q Antibody, H2A Antibody, HIST2H2AA3 Antibody, histone cluster 2,	
	H2aa3 Antibody , H2AFO Antibody , H2A/O Antibody , HIST2H2AA Antibody , H2A.2	
	Antibody, Histones are basic nuclear proteins that are responsible for the nucleosome structure	
	of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A,	
	H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in	
	repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between	
	nucleosomes and functions in the compaction of chromatin into higher order structures. This	
	gene is intronless and encodes a member of the histone H2A family. Transcripts from this gene	
	lack polyA tails but instead contain a palindromic termination element. This gene is found in a	
	histone cluster on chromosome 1. This gene is one of four histone genes in the cluster that are	
	duplicated, this record represents the centromeric copy. [provided by RefSeq]	
Gene ID:	8337	
Pathways:	Telomere Maintenance	
Application Details		
Application Notes:	WB: 1:1000-1:20000. ICC/IF: 1:100-1:1000. IP: 1:100-1:10000. Optimal dilutions/concentrations	
	should be determined by the researcher. Not tested in other applications.	
Comment:	Positive Control: HeLa (0.012% DMSO treatment for 18 hr) , HeLa (0.4 μ M Trichostatin A	
	treatment for 18 hr)	
	Validation: Orthogonal	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	1XPBS (pH 7), 1 % BSA, 20 % Glycerol, 0.01 % Thimerosal	
Preservative:	Thimerosal (Merthiolate)	
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE	
	which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage	

(1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.