antibodies .- online.com





Go to Product page

Datasheet for ABIN7464806

anti-Caveolin 3 antibody (N-Term)

Overview $100 \, \mu L$ Quantity: Caveolin 3 (CAV3) Target: Binding Specificity: N-Term Reactivity: Human Host: Rabbit Clonality: Polyclonal Conjugate: This Caveolin 3 antibody is un-conjugated Application: Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) **Product Details** Immunogen: Carrier-protein conjugated synthetic peptide encompassing a sequence within the N-terminus region of human Caveolin 3. The exact sequence is proprietary. Isotype: IgG Cross-Reactivity: Human, Mouse, Rat Purification: Purified by antigen-affinity chromatography. Grade: KO Validated **Target Details** Target: Caveolin 3 (CAV3) Alternative Name: caveolin 3 (CAV3 Products)

Target Details

•	
Background:	Caveolin 3 , LGMD1C , LQT9 , MPDT , RMD2 , VIP-21 , VIP21,This gene encodes a caveolin
	family member, which functions as a component of the caveolae plasma membranes found in
	most cell types. Caveolin proteins are proposed to be scaffolding proteins for organizing and
	concentrating certain caveolin-interacting molecules. Mutations identified in this gene lead to
	interference with protein oligomerization or intra-cellular routing, disrupting caveolae formation
	and resulting in Limb-Girdle muscular dystrophy type-1C (LGMD-1C), hyperCKemia or rippling
	muscle disease (RMD). Alternative splicing has been identified for this locus, with inclusion or
	exclusion of a differentially spliced intron. In addition, transcripts utilize multiple polyA sites and
	contain two potential translation initiation sites. [provided by RefSeq]
Molecular Weight:	17 kDa
Gene ID:	859
UniProt:	P56539
Pathways:	Carbohydrate Homeostasis, Regulation of Muscle Cell Differentiation, Regulation of Cell Size,
	Skeletal Muscle Fiber Development, Negative Regulation of Transporter Activity
Application Details	
Application Notes:	WB: 1:1000-1:20000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be
	determined by the researcher. Not tested in other applications.
Comment:	Positive Control: mouse muscle , rat muscle
	Validation: KO/KD
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	0.1M Tris-Glycine (pH 7), 10 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE
	which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage

(1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.