## antibodies .- online.com





Datasheet for ABIN7464892

## anti-STK10-A antibody (C-Term)



Go to Product page

( )	11/0	K\ /	iew
	$\cup$	'I V/I	$I \cap VV$

OVERVIEW		
Quantity:	100 μĽ	
Target:	STK10-A	
Binding Specificity:	C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This STK10-A antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Recombinant protein encompassing a sequence within the C-terminus region of human LOK.	
	The exact sequence is proprietary.	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	Purified by antigen-affinity chromatography.	
Grade:	KO Validated	
Target Details		
Target:	STK10-A	
Alternative Name:	serine/threonine kinase 10 (STK10-A Products)	

## **Target Details**

Background:	Serine/threonine kinase 10 , LOK , PRO2729, This gene encodes a member of the Ste20 family		
	of serine/threonine protein kinases, and is similar to several known polo-like kinase kinases.		
	The protein can associate with and phosphorylate polo-like kinase 1, and overexpression of a		
	kinase-dead version of the protein interferes with normal cell cycle progression. The kinase can		
	also negatively regulate interleukin 2 expression in T-cells via the mitogen activated protein		
	kinase kinase 1 pathway. [provided by RefSeq]		
Molecular Weight:	112 kDa		
Gene ID:	6793		
UniProt:	094804		
Application Details			
Application Notes:	WB: 1:500-1:3000. Optimal dilutions/concentrations should be determined by the researcher.		
	Not tested in other applications.		
Comment:	Positive Control: Raji , HeLa		
	Validation: KO/KD		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	0.53 mg/mL		
Buffer:	1XPBS (pH 7), 1 % BSA, 20 % Glycerol, 0.01 % Thimerosal		
Preservative:	Thimerosal (Merthiolate)		
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE		
	which should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage		
	(1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid		
	multiple freeze-thaw cycles.		