

Datasheet for ABIN7465005

anti-ZMYND8 antibody



Go to Product page

_						
	W	0	rv	10	W	

Quantity:	100 μL		
Target:	ZMYND8		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This ZMYND8 antibody is un-conjugated		
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunocytochemistry (ICC)		
Product Details			
Immunogen:	Recombinant protein encompassing a sequence within the center region of human PRKCBP1.		
	The exact sequence is proprietary.		
Isotype:	IgG		
Cross-Reactivity:	Human		
Purification:	Purified by antigen-affinity chromatography.		
Target Details			
Target:	ZMYND8		
Alternative Name:	zinc finger MYND-type containing 8 (ZMYND8 Products)		
Background:	Zinc finger MYND-type containing 8 , PRKCBP1 , PRO2893 , RACK7, The protein encoded by this		
	gene is a receptor for activated C-kinase (RACK) protein. The encoded protein has been shown		
	to bind in vitro to activated protein kinase C beta I. In addition, this protein is a cutaneous T-cell		

Target Details

l arget Details			
	lymphoma-associated antigen. Finally, the protein contains a bromodomain and two zinc		
	fingers, and is thought to be a transcriptional regulator. Multiple transcript variants encoding		
	several different isoforms have been found for this gene. [provided by RefSeq]		
Molecular Weight:	132 kDa		
Gene ID:	23613		
UniProt:	Q9ULU4		
Application Details			
Application Notes:	WB: 1:500-1:3000. ICC/IF: 1:100-1:1000. Optimal dilutions/concentrations should be determined		
	by the researcher. Not tested in other applications.		
Comment:	Positive Control: 293T		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 mg/mL		
Buffer:	1XPBS (pH 7), 20 % Glycerol, 0.01 % Thimerosal		
Preservative:	Thimerosal (Merthiolate)		
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE		
	which should be handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage		
	(1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid		

multiple freeze-thaw cycles.