antibodies -online.com





Datasheet for ABIN7465186

anti-NAP1L1 antibody (N-Term)



()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Overview		
Quantity:	100 μL	
Target:	NAP1L1	
Binding Specificity:	N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NAP1L1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	
Product Details		
Immunogen:	Recombinant protein encompassing a sequence within the N-terminus region of human	
	NAP1L1. The exact sequence is proprietary.	
Isotype:	IgG	
Cross-Reactivity:	Human, Rat	
Purification:	Purified by antigen-affinity chromatography.	
Target Details		
Target:	NAP1L1	
Alternative Name:	nucleosome assembly protein 1 like 1 (NAP1L1 Products)	
Background:	Nucleosome assembly protein 1 like 1 , NAP1 , NAP1L , NRP,This gene encodes a member of	

Target Details

	the nucleosome assembly protein (NAP) family. This protein participates in DNA replication and may play a role in modulating chromatin formation and contribute to the regulation of cell proliferation. Alternative splicing of this gene results in several transcript variants, however, not all have been fully described. [provided by RefSeq]
Molecular Weight:	45 kDa
Gene ID:	4673
UniProt:	P55209
Application Details	
Application Notes:	WB: 1:500-1:3000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined

Application Notes:	WB: 1:500-1:3000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined
	by the researcher. Not tested in other applications.
Comment:	Positive Control: 293T , A431 , HeLa , HepG2
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.14 mg/mL
Buffer:	1XPBS (pH 7), 1 % BSA, 20 % Glycerol, 0.025 % ProClin 300
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.