

Datasheet for ABIN7465862

anti-Strumpellin antibody (C-Term)



Overview

Overview	
Quantity:	100 μL
Target:	Strumpellin (WASHC5)
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Strumpellin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	Recombinant protein encompassing a sequence within the C-terminus region of human
	Strumpellin. The exact sequence is proprietary.
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by antigen-affinity chromatography.
Target Details	
Target:	Strumpellin (WASHC5)
Alternative Name:	WASH complex subunit 5 (WASHC5 Products)
Background:	WASH complex subunit 5 , KIAA0196 , RTSC , RTSC1 , SPG8, This gene encodes a 134 kDa

protein named strumpellin that is predicted to have multiple transmembrane domains and a
spectrin-repeat-containing domain. This ubiquitously expressed gene has its highest expression
in skeletal muscle. The protein is named for Strumpell disease, a form of hereditary spastic
paraplegia (HSP). Spastic paraplegias are a diverse group of disorders in which the autosomal
dominant forms are characterized by progressive, lower extremity spasticity caused by axonal
degeneration in the terminal portions of the longest descending and ascending corticospinal
tracts. More than 30 loci (SPG1-33) have been implicated in hereditary spastic paraplegia
diseases. [provided by RefSeq]

Molecular Weight:	134 kDa
Gene ID:	9897
UniProt:	Q12768

Application Details

Application Notes:	WB: 1:500-1:3000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined
	by the researcher. Not tested in other applications.
Comment:	Positive Control: HeLa
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	1XPBS (pH 7), 1 % BSA, 20 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.