antibodies -online.com





anti-ASCC2 antibody



Go to Product page

	Θ_{W}

Quantity:	100 μL
Target:	ASCC2
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ASCC2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)
Product Details	

Immunogen:	Recombinant protein encompassing a sequence within the center region of human ASCC2. The	
	exact sequence is proprietary.	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	Purified by antigen-affinity chromatography.	

Target Details

Target:	ASCC2	
Alternative Name:	activating signal cointegrator 1 complex subunit 2 (ASCC2 Products)	
Background:	Activating signal cointegrator 1 complex subunit 2 , ASC1p100 , p100,Enhances NF-kappa-E	
	SRF and AP1 transactivation.	

Target Details

Molecular Weight:	86 kDa
Gene ID:	84164
UniProt:	Q9H1I8

Application Details

Application Notes:	WB: 1:1000-1:10000. ICC/IF: 1:100-1:1000. IHC-P: 1:100-1:1000. Optimal	
	dilutions/concentrations should be determined by the researcher. Not tested in other	
	applications.	
Comment:	Positive Control: HeLa , HepG2	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	1XPBS (pH 7), 1 % BSA, 20 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.