.-online.com antibodies

Datasheet for ABIN7465964 anti-DAP antibody



Overview	
Quantity:	100 µL
Target:	DAP
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DAP antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Carrier-protein conjugated synthetic peptide encompassing a sequence within the center region
Immunogen:	Carrier-protein conjugated synthetic peptide encompassing a sequence within the center region of human DAP1. The exact sequence is proprietary.
Immunogen: Isotype:	
	of human DAP1. The exact sequence is proprietary.
Isotype:	of human DAP1. The exact sequence is proprietary.
Isotype: Cross-Reactivity:	of human DAP1. The exact sequence is proprietary. IgG Human
Isotype: Cross-Reactivity: Purification:	of human DAP1. The exact sequence is proprietary. IgG Human
Isotype: Cross-Reactivity: Purification: Target Details	of human DAP1. The exact sequence is proprietary. IgG Human Purified by antigen-affinity chromatography.

acts as a positive mediator of programmed cell death that is induced by interferon-gamma.

[provided by RefSeq]

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7465964 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Molecular Weight:	11 kDa
Gene ID:	1611
UniProt:	P51397
Pathways:	Positive Regulation of Endopeptidase Activity, Feeding Behaviour
Application Details	
Application Notes:	WB: 1:500-1:3000. Optimal dilutions/concentrations should be determined by the researcher.
	Not tested in other applications.
Comment:	Positive Control: HeLa , HepG2
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1.51 mg/mL
Buffer:	1XPBS (pH 7), 20 % Glycerol, 0.025 % ProClin 300
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage