

[Go to Product page](#)

Datasheet for ABIN7466391 **anti-TRA2B antibody**

Overview

| | |
|--------------|--|
| Quantity: | 100 µL |
| Target: | TRA2B |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TRA2B antibody is un-conjugated |
| Application: | Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |

Product Details

| | |
|-------------------|---|
| Immunogen: | Recombinant protein encompassing a sequence within the center region of human TRA2B. The exact sequence is proprietary. |
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse, Rat |
| Purification: | Purified by antigen-affinity chromatography. |

Target Details

| | |
|-------------------|---|
| Target: | TRA2B |
| Alternative Name: | transformer 2 beta homolog (TRA2B Products) |
| Background: | Transformer 2 beta homolog , Htra2-beta , PPP1R156 , SFRS10 , SRFS10 , TRA2-BETA , TRAN2B,Sequence-specific RNA-binding protein which participates in the control of pre-mRNA splicing. |

Target Details

| | |
|-------------------|------------------------|
| Molecular Weight: | 34 kDa |
| Gene ID: | 6434 |
| UniProt: | P62995 |

Application Details

| | |
|--------------------|---|
| Application Notes: | WB: 1:500-1:3000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined by the researcher. Not tested in other applications. |
| Comment: | Positive Control: Jurkat |
| Restrictions: | For Research Use only |

Handling

| | |
|--------------------|--|
| Format: | Liquid |
| Concentration: | 0.41 mg/mL |
| Buffer: | 0.1M Tris-Glycine (pH 7), 20 % Glycerol, 0.01 % Thimerosal |
| Preservative: | Thimerosal (Merthiolate) |
| Precaution of Use: | This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |