antibodies -online.com





Datasheet for ABIN7466526

anti-BMF antibody



()	ve	rvi	0	W
_			$\overline{}$	

Overview		
Quantity:	100 μL	
Target:	BMF	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This BMF antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Recombinant protein encompassing a sequence within the center region of human BMF. The exact sequence is proprietary.	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	Purified by antigen-affinity chromatography.	
Target Details		
Target:	BMF	
Alternative Name:	Bcl2 modifying factor (BMF Products)	
Background:	Bcl2 modifying factor, The protein encoded by this gene belongs to the BCL2 protein family. BCL2 family members form hetero- or homodimers and act as anti- or pro-apoptotic regulators that are involved in a wide variety of cellular activities. This protein contains a single BCL2	

Target Details

rarget Details		
	homology domain 3 (BH3), and has been shown to bind BCL2 proteins and function as an apoptotic activator. This protein is found to be sequestered to myosin V motors by its association with dynein light chain 2, which may be important for sensing intracellular damage and triggering apoptosis. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq]	
Molecular Weight:	ar Weight: 21 kDa	
Gene ID:	90427	
UniProt:	Q96LC9	
Application Details		
Application Notes:	WB: 1:500-1:3000. Optimal dilutions/concentrations should be determined by the researcher. Not tested in other applications.	
Comment:	Positive Control: K562	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	1XPBS (pH 7), 1 % BSA, 20 % Glycerol, 0.01 % Thimerosal	
Preservative:	Thimerosal (Merthiolate)	
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	