

## Datasheet for ABIN7466692

# anti-RIPK1 antibody



		oo to i roddot pago

Overview		
Overview		
Quantity:	100 μL	
Target:	RIPK1	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RIPK1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunocytochemistry (ICC), Immunofluorescence (IF)	
Product Details		
Immunogen:	Recombinant protein encompassing a sequence within the center region of human RIP. The exact sequence is proprietary.	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	Purified by antigen-affinity chromatography.	
Target Details		
Target:	RIPK1	
Alternative Name:	receptor interacting serine/threonine kinase 1 (RIPK1 Products)	
Background:	Receptor interacting serine/threonine kinase 1 , IMD57 , RIP , RIP-1 , RIP1, Essential adapter	
	molecule for the activation of NF-kappa-B. Following different upstream signals (binding of	
	inflammatory cytokines, stimulation of pathogen recognition receptors, or DNA damage),	

## **Target Details**

with the IKK complex, and its activation through NEMO binding of polyubiquitin chains.
TNFR1 trimerization. There, it is ubiquitinated via 'Lys-63'-link chains, inducing its association
responses. Upon TNFA stimulation RIPK1 is recruited to a TRADD-TRAF complex initiated by
particular RIPK1-containing complexes are formed, initiating a limited number of cellular

Molecular Weight: 76 kDa

Gene ID: 8737

UniProt: Q13546

Pathways: NF-kappaB Signaling, Apoptosis, Caspase Cascade in Apoptosis, TLR Signaling, Activation of

Innate immune Response, Inositol Metabolic Process, Positive Regulation of Endopeptidase

Activity, Hepatitis C, Protein targeting to Nucleus, Toll-Like Receptors Cascades, Negative

Regulation of intrinsic apoptotic Signaling, SARS-CoV-2 Protein Interactome, Ubiquitin

Proteasome Pathway

#### **Application Details**

Application Notes:	WB: 1:1000-1:10000. ICC/IF: 1:100-1:1000. Optimal dilutions/concentrations should be	
	determined by the researcher. Not tested in other applications.	
Comment: Positive Control: Molt-4		

Restrictions: For Research Use only

### Handling

Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	0.1M Tris-Glycine (pH 7), 10 % Glycerol, 0.01 % Thimerosal	
Preservative:	Thimerosal (Merthiolate)	
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term store (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.	