

Datasheet for ABIN7466755

anti-OGT antibody



Go to Product page

	er		

Overview		
Quantity:	100 μL	
Target:	OGT	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This OGT antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Recombinant protein encompassing a sequence within the center region of human O-GlcNAc	
	transferase. The exact sequence is proprietary.	
Clone:	GT2037	
Isotype:	lgG1	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Affinity purified by Protein G.	
Target Details		
Target:	OGT	
Alternative Name:	O-linked N-acetylglucosamine (GlcNAc) transferase (OGT Products)	
Background:	O-linked N-acetylglucosamine (GlcNAc) transferase , HINCUT-1 , HRNT1 , MRX106 , O-GLCNAC	

, OGT1,O-linked N-acetylglucosamine (O-GlcNAc) transferase (OGT) catalyzes the addition of a
single N-acetylglucosamine in O-glycosidic linkage to serine or threonine residues. Since both
phosphorylation and glycosylation compete for similar serine or threonine residues, the two
processes may compete for sites, or they may alter the substrate specificity of nearby sites by
steric or electrostatic effects. The protein contains nine tetratricopeptide repeats and a putative
bipartite nuclear localization signal. Two alternatively spliced transcript variants encoding
distinct isoforms have been found for this gene. [provided by RefSeq]

Gene ID: 8473	
UniProt: 015294	

Pathways: Regulation of Carbohydrate Metabolic Process

Application Details

Application Notes:	WB: 1:500-1:3000. Optimal dilutions/concentrations should be determined by the researcher.
	Not tested in other applications.
Comment:	Positive Control: mouse brain , 293T , HeLa , rat brain
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, No Preservative
Preservative:	Without preservative
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.