antibodies -online.com





Datasheet for ABIN7467252

anti-B3GALT4 antibody



Ovarvian

Overview	
Quantity:	100 μL
Target:	B3GALT4
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This B3GALT4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	Recombinant protein encompassing a sequence within the center region of human B3GALT4. The exact sequence is proprietary.
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by antigen-affinity chromatography.
Target Details	
Target:	B3GALT4
Alternative Name:	beta-1,3-galactosyltransferase 4 (B3GALT4 Products)
Background:	Beta-1,3-galactosyltransferase 4, BETA3GALT4, GALT2, GALT4, This gene is a member of the
	beta-1,3-galactosyltransferase (beta3GalT) gene family. This family encodes type II membrane-
	bound glycoproteins with diverse enzymatic functions using different donor substrates (UDP-

galactose and UDP-N-acetylglucosamine) and different acceptor sugars (N-acetylglucosamine,
galactose, N-acetylgalactosamine). The beta3GalT genes are distantly related to the Drosophila
Brainiac gene and have the protein coding sequence contained in a single exon. The beta3GalT
proteins also contain conserved sequences not found in the beta4GalT or alpha3GalT proteins.
The carbohydrate chains synthesized by these enzymes are designated as type 1, whereas
beta4GalT enzymes synthesize type 2 carbohydrate chains. The ratio of type 1:type 2 chains
changes during embryogenesis. By sequence similarity, the beta3GalT genes fall into at least
two groups: beta3GalT4 and 4 other beta3GalT genes (beta3GalT1-3, beta3GalT5). This gene is
oriented telomere to centromere in close proximity to the ribosomal protein S18 gene. The
functionality of the encoded protein is limited to ganglioseries glycolipid biosynthesis. [provided
by RefSeq]

Molecular Weight:	42 kDa
Gene ID:	8705
UniProt:	096024

Application Details

Application Notes:	WB: 1:500-1:3000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined
	by the researcher. Not tested in other applications.
Comment:	Positive Control: PC-3 , U87-MG , SK-N-SH
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	1XPBS (pH 7), 1 % BSA, 20 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid

multiple freeze-thaw cycles.