

## Datasheet for ABIN7467265

## anti-IL1R1 antibody (C-Term)



Overview	
Quantity:	100 μL
Target:	IL1R1
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL1R1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	Carrier-protein conjugated synthetic peptide encompassing a sequence within the C-terminus region of human IL1 Receptor 1. The exact sequence is proprietary.
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by antigen-affinity chromatography.
Target Details	
Target:	IL1R1
Alternative Name:	interleukin 1 receptor type 1 (IL1R1 Products)
Background:	Interleukin 1 receptor type 1 , CD121A , D2S1473 , IL-1R-alpha , IL1R , IL1RA , P80,The protein

	encoded by this gene is a cytokine receptor that belongs to the interleukin 1 receptor family.  This protein is a receptor for interleukin alpha (IL1A), interleukin beta (IL1B), and interleukin 1
	receptor, type I(IL1R1/IL1RA). It is an important mediator involved in many cytokine induced
	immune and inflammatory responses. This gene along with interleukin 1 receptor, type II
	(IL1R2), interleukin 1 receptor-like 2 (IL1RL2), and interleukin 1 receptor-like 1 (IL1RL1) form a
	cytokine receptor gene cluster in a region mapped to chromosome 2q12. [provided by RefSeq]
Molecular Weight:	65 kDa
Gene ID:	3554
UniProt:	P14778
Pathways:	NF-kappaB Signaling, Carbohydrate Homeostasis, Cancer Immune Checkpoints
Application Details	
Application Notes:	WB: 1:500-1:3000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined
	by the researcher. Not tested in other applications.
Comment:	Positive Control: Raji
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	0.1M Tris-Glycine (pH 7), 10 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE
	which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage
	(1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid
	multiple freeze-thaw cycles.