

Datasheet for ABIN7467594

anti-SMNDC1 antibody



	er		

Overview	
Quantity:	100 μL
Target:	SMNDC1
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SMNDC1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)
Product Details	
Immunogen:	Recombinant protein encompassing a sequence within the center region of human SMNDC1. The exact sequence is proprietary.
Isotype:	IgG

Target Details

Cross-Reactivity:

Purification:

Target:	SMNDC1	
Alternative Name:	survival motor neuron domain containing 1 (SMNDC1 Products)	
Background:	Survival motor neuron domain containing 1 , SMNR , SPF30 , TDRD16C, This gene is a paralog	
	of SMN1 gene, which encodes the survival motor neuron protein, mutations in which are cause	

Purified by antigen-affinity chromatography.

Human, Mouse

Target Details

	of autosomal recessive proximal spinal muscular atrophy. The protein encoded by this gene is
	a nuclear protein that has been identified as a constituent of the spliceosome complex. This
	gene is differentially expressed, with abundant levels in skeletal muscle, and may share similar
	cellular function as the SMN1 gene. [provided by RefSeq]
Molecular Weight:	27 kDa
Gene ID:	10285
UniProt:	075940
Application Details	

Application Details	
Application Notes:	WB: 1:500-1:3000. ICC/IF: 1:100-1:1000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined by the researcher. Not tested in other applications.
Comment:	Positive Control: U87-MG , SK-N-SH , IMR32 , SK-N-AS
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	0.1M Tris-Glycine (pH 7), 20 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.