



[Go to Product page](#)

Datasheet for ABIN7467766
anti-DNALI1 antibody

Overview

Quantity:	100 µL
Target:	DNALI1
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DNALI1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunocytochemistry (ICC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	Recombinant protein encompassing a sequence within the center region of human DNALI1. The exact sequence is proprietary.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	Purified by antigen-affinity chromatography.

Target Details

Target:	DNALI1
Alternative Name:	dynein axonemal light intermediate chain 1 (DNALI1 Products)
Background:	Dynein axonemal light intermediate chain 1 , P28 , dJ423B22.5 , hp28, This gene is the human homolog of the Chlamydomonas inner dynein arm gene, p28. The precise function of this gene

Target Details

is not known, however, it is a potential candidate for immotile cilia syndrome (ICS).

Ultrastructural defects of the inner dynein arms are seen in patients with ICS. Immotile mutant strains of *Chlamydomonas*, a biflagellated algae, exhibit similar defects. [provided by RefSeq]

Molecular Weight: 30 kDa

Gene ID: 7802

UniProt: [O14645](#)

Application Details

Application Notes: WB: 1:500-1:3000. ICC/IF: 1:100-1:1000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined by the researcher. Not tested in other applications.

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 0.9 mg/mL

Buffer: 0.1M Tris-Glycine (pH 7), 20 % Glycerol, 0.01 % Thimerosal

Preservative: Thimerosal (Merthiolate)

Precaution of Use: This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: 4 °C,-20 °C

Storage Comment: Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.