

## Datasheet for ABIN7467896

## anti-Cadherin 5 antibody (N-Term)



$\sim$				
$O_1$	<b>/</b> el	rVI	161	Λ

Overview		
Quantity:	100 μL	
Target:	Cadherin 5 (CDH5)	
Binding Specificity:	N-Term	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This Cadherin 5 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunocytochemistry (ICC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunofluorescence (IF)	
Product Details		
Immunogen:	Carrier-protein conjugated synthetic peptide encompassing a sequence within the N-terminus region of human VE-Cadherin. The exact sequence is proprietary.	
Clone:	GT1369	
Isotype:	lgG1	
Cross-Reactivity:	Human	
Purification:	Affinity purified by Protein G.	
Target Details		
Target:	Cadherin 5 (CDH5)	

## **Target Details**

Alternative Name:	cadherin 5 (CDH5 Products)		
Background:	Cadherin 5, 7B4, CD144,This gene is a classical cadherin from the cadherin superfamily and is		
	located in a six-cadherin cluster in a region on the long arm of chromosome 16 that is involved		
	in loss of heterozygosity events in breast and prostate cancer. The encoded protein is a		
	calcium-dependent cell-cell adhesion glycoprotein comprised of five extracellular cadherin		
	repeats, a transmembrane region and a highly conserved cytoplasmic tail. Functioning as a		
	classic cadherin by imparting to cells the ability to adhere in a homophilic manner, the protein		
	may play an important role in endothelial cell biology through control of the cohesion and		
	organization of the intercellular junctions. An alternative splice variant has been described but		
	its full length sequence has not been determined. [provided by RefSeq]		
Molecular Weight:	88 kDa		
Gene ID:	1003		
UniProt:	P33151		
Pathways:	Cell-Cell Junction Organization, Signaling Events mediated by VEGFR1 and VEGFR2		
Application Details			
Application Notes:	WB: 1:500-1:3000. ICC/IF: 1:100-1:1000. Optimal dilutions/concentrations should be determine		
	by the researcher. Not tested in other applications.		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 mg/mL		
Buffer:	1XPBS (pH 7), 20 % Glycerol, No Preservative		
Preservative:	Without preservative		
Storage:	4 °C,-20 °C		
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage		
	(1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.		