



[Go to Product page](#)

Datasheet for ABIN7467969
anti-ARID1A antibody (C-Term)

Overview

Quantity:	100 µL
Target:	ARID1A
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This ARID1A antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC)

Product Details

Immunogen:	Recombinant protein encompassing a sequence within the C-terminus region of human ARID1A. The exact sequence is proprietary.
Clone:	GT3611
Isotype:	IgG1
Cross-Reactivity:	Human, Mouse
Purification:	Affinity purified by Protein G.

Target Details

Target:	ARID1A
---------	--------

Target Details

Alternative Name:	AT-rich interaction domain 1A (ARID1A Products)
Background:	<p>Synonyms: AT-rich interaction domain 1A , B120 , BAF250 , BAF250a , BM029 , C1orf4 , CSS2 , ELD , MRD14 , OSA1 , P270 , SMARCF1 , hELD , hOSA1</p> <p>Background: This gene encodes a member of the SWI/SNF family, whose members have helicase and ATPase activities and are thought to regulate transcription of certain genes by altering the chromatin structure around those genes. The encoded protein is part of the large ATP-dependent chromatin remodeling complex SNF/SWI, which is required for transcriptional activation of genes normally repressed by chromatin. It possesses at least two conserved domains that could be important for its function. First, it has a DNA-binding domain that can specifically bind an AT-rich DNA sequence known to be recognized by a SNF/SWI complex at the beta-globin locus. Second, the C-terminus of the protein can stimulate glucocorticoid receptor-dependent transcriptional activation. It is thought that the protein encoded by this gene confers specificity to the SNF/SWI complex and may recruit the complex to its targets through either protein-DNA or protein-protein interactions. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]</p>
Molecular Weight:	242 kDa
Gene ID:	8289
UniProt:	O14497
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway , Tube Formation

Application Details

Application Notes:	WB: 1:500-1:3000. ICC/IF: 1:100-1:1000. IHC-P: 1:100-1:1000. Optimal dilutions/concentrations should be determined by the researcher. Not tested in other applications.
Comment:	Positive Control: 293T
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	2.61 mg/mL
Buffer:	PBS, No Preservative
Preservative:	Without preservative

Handling

Storage: 4 °C,-20 °C

Storage Comment: Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.