

Datasheet for ABIN7468771 anti-KCNV2 antibody (N-Term)



Overview

Overview	
Quantity:	100 μL
Target:	KCNV2
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KCNV2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Recombinant protein encompassing a sequence within the N-terminus region of human
	KCNV2. The exact sequence is proprietary.
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by antigen-affinity chromatography.
Target Details	
Target:	KCNV2
Alternative Name:	potassium voltage-gated channel modifier subfamily V member 2 (KCNV2 Products)
Background:	Synonyms: potassium voltage-gated channel modifier subfamily V member 2, KV11.1, Kv8.2,

Background: Voltage-gated potassium (Kv) channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction, and cell volume. This gene encodes a member of the potassium voltage-gated channel subfamily V. This member is identified as a 'silent subunit', and it does not form homomultimers, but forms heteromultimers with several other subfamily members. Through obligatory heteromerization, it exerts a function-altering effect on other potassium channel subunits. This protein is strongly expressed in pancreas and has a weaker expression in several other tissues. [provided by RefSeq]

Molecular Weight:	62 kDa	
Gene ID:	169522	
UniProt:	Q8TDN2	

Application Details

Application Notes:	WB: 1:500-1:3000. Optimal dilutions/concentrations should be determined by the researcher.	
	Not tested in other applications.	
Comment:	Positive Control: 293T , A431 , HeLa , HepG2	
Restrictions:	For Research Use only	

Handling

Format:	Liquid	
Concentration:	0.55 mg/mL	
Buffer:	1XPBS (pH 7), 20 % Glycerol, 0.025 % ProClin 300	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid	

multiple freeze-thaw cycles.