

## Datasheet for ABIN7468877

# anti-Retinoblastoma Binding Protein 4 antibody (AA 1-425)



Go to Froduct page

Overviev	

Quantity:	100 μL
Target:	Retinoblastoma Binding Protein 4 (RBBP4)
Binding Specificity:	AA 1-425
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Retinoblastoma Binding Protein 4 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunoprecipitation (IP), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunocytochemistry (ICC), Chromatin Immunoprecipitation (ChIP), Blocking Peptide (BP), Functional Studies (Func)

#### **Product Details**

Immunogen:	The complete coding region (amino acids 1-425) of RbAp48 expressed in E. coli.
Clone:	11G10
Isotype:	lgG2b
Cross-Reactivity:	Human, Mouse
Purification:	Protein G purified

### **Target Details**

Target: Retinoblastoma Binding Protein 4 (RBBP4)

# Target Details

Alternative Name:	RB binding protein 4, chromatin remodeling factor (RBBP4 Products)
Background:	Synonyms: RB binding protein 4, chromatin remodeling factor , NURF55 , RBAP48 , lin-53
	Background: This gene encodes a ubiquitously expressed nuclear protein which belongs to a
	highly conserved subfamily of WD-repeat proteins. It is present in protein complexes involved in
	histone acetylation and chromatin assembly. It is part of the Mi-2 complex which has been
	implicated in chromatin remodeling and transcriptional repression associated with histone
	deacetylation. This encoded protein is also part of co-repressor complexes, which is an integral
	component of transcriptional silencing. It is found among several cellular proteins that bind
	directly to retinoblastoma protein to regulate cell proliferation. This protein also seems to be
	involved in transcriptional repression of E2F-responsive genes. Three transcript variants
	encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2008]
Molecular Weight:	48 kDa
Gene ID:	5928
UniProt:	Q09028
Pathways:	Cell Division Cycle, Mitotic G1-G1/S Phases, Stem Cell Maintenance, Chromatin Binding, Proteir
	targeting to Nucleus
Application Details	
Application Notes:	WB: 1:500-1:3000. Optimal dilutions/concentrations should be determined by the researcher.
	Not tested in other applications.
Comment:	Positive Control: MOLT4 , HeLa , LB22 , SH-SY5Y , SH-SY5Y nuclear extract Validation:
	Orthogonal
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	PBS, No Preservative
Preservative:	Without preservative
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage

(1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.