antibodies -online.com





Datasheet for ABIN7469396

anti-HEYL antibody



\sim					
()	VE	۲۱	/1	\triangle	Λ

O V CI V I C V V	
Quantity:	100 μL
Target:	HEYL
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HEYL antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (IF), Immunocytochemistry (ICC)
Product Details	
lmmunogen:	Recombinant protein encompassing a sequence within the center region of human HEYL. The exact sequence is proprietary.
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by antigen-affinity chromatography.
Target Details	
Target:	HEYL
Alternative Name:	HEYL (HEYL Products)
Background:	Synonyms: hes related family bHLH transcription factor with YRPW motif like , HESR3 , HEY3 , HRT3 , bHLHb33 Background: This gene encodes a member of the hairy and enhancer of split-related (HESR)

Target Details

	protein contains a conserved bHLH and orange domain, but its YRPW motif has diverged from
	other HESR family members. It is thought to be an effector of Notch signaling and a regulator
	of cell fate decisions. Alternatively spliced transcript variants have been found, but their
	biological validity has not been determined. [provided by RefSeq]
Molecular Weight:	35 kDa
Gene ID:	26508
UniProt:	Q9NQ87
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway, Regulation of Intracellular Steroid
	Hormone Receptor Signaling

family of basic helix-loop-helix (bHLH)-type transcription factors. The sequence of the encoded

Application Details

Application Notes:	WB: 1:500-1:3000. ICC/IF: 1:100-1:1000. Optimal dilutions/concentrations should be determined
	by the researcher. Not tested in other applications.
Comment:	Positive Control: HepG2
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	0.31 mg/mL
Buffer:	0.1M Tris-Glycine (pH 7), 20 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.