# antibodies -online.com





## anti-CD44 Standard antibody (FITC)



_		
()Ver	view	

Quantity:	25 μg
Target:	CD44 Standard (CD44s)
Reactivity:	Rat
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD44 Standard antibody is conjugated to FITC
Application:	Flow Cytometry (FACS)
Product Details	
Clone:	OX-49
Isotype:	IgG2a, kappa
Target Details	
Target:	CD44 Standard (CD44s)
Alternative Name:	CD44H (CD44s Products)
Background:	Pgp-1, H-CAM, CD44s,CD44H,CD44 is an 80-95 kD cell surface glycoprotein. It is expressed on
	all leukocytes, endothelial cells, hepatocytes, and mesenchymal cells. It is up-regulated when T
	cells and B cells are activated. It was reported that CD44 is a valuable marker for memory T
	cells. CD44 is an adhesion molecule involved in leukocyte adhesion and homing to lymphoid
	organs. The OX-49 antibody reacts with CD44H (known as CD44s) expressed on most

leukocytes, except for a subset of B lymphocytes. The epitope recognized by OX-49 antibody

#### **Target Details**

	has been mapped to a region on both the standard, CD44s, and the splice variant, CD44v,
	isoforms of CD44. However it was reported that OX-49 antibody cannot detect the CD44V
	isoform, possibly due to conformational changes in the epitope.
Gene ID:	12505
UniProt:	P26051

### **Application Details**

Application Notes:	Optimal working dilution should be determined by the investigator.
Comment:	Matching Isotype Control: FITC Mouse IgG2a, к Isotype Control (ABIN7469787)
Restrictions:	For Research Use only

#### Handling

Concentration:	0.5 mg/mL
Buffer:	PBS with 0.05 % Proclin300, 1 % BSA
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2~8°C and protected from prolonged exposure to light. Do not freeze.