

Datasheet for ABIN747580 anti-EZH2 antibody (AA 255-350) (Biotin)



Overview	
Quantity:	100 μL
Target:	EZH2
Binding Specificity:	AA 255-350
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EZH2 antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human KMT6/EZH2
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	
Target:	EZH2
Alternative Name:	KMT6 (EZH2 Products)

Target Details

Background:	Synonyms: Enhancer of zeste homolog 2, Enx1h, MGC9169, Enhancer of zeste 2, ENX-1, ENX 1,		
	ENX1, EZH1, EZH2, EZH 2, EZH2_HUMAN, Histone-lysine N-methyltransferase EZH2, KMT6A, Lysine N-methyltransferase 6, Enhancer of zeste homolog 2 Drosophila, Enhancer of zeste, Drosophila, homolog 2, KMT 6, KMT6A, WVS2. Background: This gene encodes a member of the Polycomb-group (PcG) family. PcG family members form multimeric protein complexes, which are involved in maintaining the transcriptional repressive state of genes over successive cell generations. This protein associates with the embryonic ectoderm development protein, the VAV1 oncoprotein, and the X-linked nuclear protein. This protein may play a role in the hematopoietic and central nervous systems. Multiple alternatively splcied transcript variants encoding distinct isoforms have been		
		identified for this gene. [provided by RefSeq, Feb 2011].	
		Gene ID:	2146
		Pathways:	Retinoic Acid Receptor Signaling Pathway, Regulation of Muscle Cell Differentiation
		Application Details	
		Application Notes:	IHC-P 1:200-400
			IHC-F 1:100-500
		Restrictions:	For Research Use only
		Handling	
	Format:	Liquid	
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.		
Storage:	-20 °C		
Storage Comment:	Store at -20°C for 12 months.		
Expiry Date:	12 months		