antibodies .- online.com









Overview

Quantity:	100 μL
Target:	PBK
Binding Specificity:	AA 251-322
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PBK antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PBK
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig
Purification:	Purified by Protein A.

Target Details

Target:	PBK
Alternative Name:	PBK (PBK Products)
Background:	Synonyms: SPK, CT84, TOPK, HEL164, Nori-3, Lymphokine-activated killer T-cell-originated

Target Details

protein kinase, Cancer/testis antigen 84, MAPKK-like protein kinase, PDZ-binding kinase, Spermatogenesis-related protein kinase, T-LAK cell-originated protein kinase, PBK Background: Phosphorylates MAP kinase p38. Seems to be active only in mitosis. May also play a role in the activation of lymphoid cells. When phosphorylated, forms a complex with TP53, leading to TP53 destabilization and attenuation of G2/M checkpoint during doxorubicin-induced DNA damage.

Gene ID: 55872

UniProt: Q96KB5


Application Details

Application Notes: WB 1:300-5000 ELISA 1:500-1000

Restrictions: For Research Use only


Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded human colon carcinoma labeled with Rabbit Anti PBK/TOPK Polyclonal Antibody, Unconjugated (ABIN747608) at 1:200 followed by conjugation to the secondary antibody and DAB staining



Immunohistochemistry

Image 2. Formalin-fixed and paraffin embedded human lung carcinoma labeled with Rabbit Anti PBK/TOPK Polyclonal Antibody, Unconjugated (ABIN747608) at 1:200 followed by conjugation to the secondary antibody and DAB staining