.-online.com antibodies

Datasheet for ABIN7477601 Recombinant anti-TIM3 antibody

3 Images



Overview

Quantity:	1 mL
Target:	TIM3 (TIM 3)
Reactivity:	Human
Host:	Rabbit
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This TIM3 antibody is un-conjugated
Application:	Immunohistochemistry (IHC)

Product Details

Clone:	MSVA-366R
Isotype:	lgG

Target Details

Target:	TIM3 (TIM 3)
Alternative Name:	TIM3 (TIM 3 Products)
Target Type:	Virus
Background:	CD366, HAVR2, Hepatitis A virus cellular receptor 2 (HAVCR2), Kidney injury molecule 3 (KIM3), T-cell immunoglobulin and mucin domain-containing protein 3, T-cell immunoglobulin mucin receptor 3, T-cell membrane protein 3, TIM3, TIMD3,TIM3 antibody validated for
	immunohistochemistry on 76 different Normal Tissues


Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7477601 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Target Details

UniProt:	Q8TDQ0
Pathways:	Regulation of Lipid Metabolism by PPARalpha, Cancer Immune Checkpoints

Application Details

Application Notes:	IHC 1:100-1:200
Comment:	Positive Control: Tonsil: A moderate to strong TIM-3 immunostaining should be seen in a significant fraction of T-cells, while only few TIM-3 positive cells are seen in the germinal centre
	and the mantle zone.
	Negative Control: Tonsil: Epithelial cells should be negative.
Protocol:	Manual Protocol: Freshly cut sections should be used (less than 10 days between cutting and
	staining). Heat-induced antigen retrieval for 5 minutes in an autoclave at 121 °C in pH 7,8
	Target Retrieval Solution buffer. Apply the antibody at a dilution of 1:150 at 37 °C for
	60 minutes. Visualization of bound antibody by the EnVision Kit (Dako, Agilent) according to the
	manufacturer's directions.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8 °C. Antibody without azide - store at -20 to -80 °C. Antibody
	is stable for 24 months. Non- hazardous.



Immunohistochemistry

Image 1. Colon descendens mucosa

Immunohistochemistry

Image 2. Uterus cervix TIM3 negative squamous cell carcinoma showing a large number of TIM3 positive macrophages and also lymphocytes

Immunohistochemistry

Image 3. Alveolar macrophages show strong TIM 3 immunostaining

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7477601 | 09/09/2023 | Copyright antibodies-online. All rights reserved.