antibodies .- online.com







anti-Canine Heartworm antibody (Biotin)



| () | 1/0 | r\ /1 | 014 | |
|-----|-----|-------|-----|---|
| () | ve | I V I | -v | V |
| | | | | |

| Quantity: | 1 mL | |
|--------------|--|--|
| Target: | Canine Heartworm | |
| Reactivity: | Dirofilaria immitis | |
| Host: | Goat | |
| Clonality: | Polyclonal | |
| Conjugate: | This Canine Heartworm antibody is conjugated to Biotin | |
| Application: | ELISA, Western Blotting (WB), Immunohistochemistry (IHC), Fluorescence Microscopy (FM) | |

Product Details

| Immunogen: | Dirofiliaria immitis |
|-----------------------------|---|
| Isotype: | IgG |
| Specificity: | Soluble & structural antigens of the adult worm |
| Cross-Reactivity (Details): | Antiserum is not absorbed for related filarial Nematodes UNINFECTED CELL REACTIVITY: Non-reactive with canine serum |
| Purification: | This product consists of purified IgG fraction of the above antiserum covalently coupled with the N-Hydroxysuccinimide ester of biotin under mild conditions to give a high degree of substitution. |

Target Details

| Target: | Canine Heartworm | |
|-----------|---------------------------|--|
| Abstract: | Canine Heartworm Products | |

Application Details

| Application Notes: | TITER: > 1:6,000 by ELISA, Possible applications for this product include avidin and streptavidin amplification systems for immunohistochemistry, ELISA, fluorescence microscopy and immunoblotting. In addition, this product may be used in place of neat antiserum in almost any appropriate antibody-based technique. | |
|--------------------|---|--|
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | Lot specific | |
| Buffer: | The product is formulated in a phosphate saline buffer (0.01M, pH 7.2) containing 0.1 % sodium azide preservative. No stabilizing proteins have been added. | |
| Preservative: | Sodium azide | |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | 4 °C,-20 °C | |
| Storage Comment: | Recommended short term (<6 months) storage is liquid at 2-8°C. For longer term storage, aliquot and freeze. | |