antibodies -online.com





NPC2 Protein (AA 22-149, full length) (His tag)





Overview	
Quantity:	100 μg
Target:	NPC2
Protein Characteristics:	AA 22-149, full length
Origin:	Dog
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This NPC2 protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	VHFKDCGSAV GVIKELNVNP CPAQPCKLHK GQSYSVNVTF TSNIPSQSSK AVVHGIVLGV AVPFPIPEAD GCKSGINCPI QKDKTYSYLN KLPVKNEYPS IKLVVQWMLL GDNNQHLFCW EIPVQIEG
Specificity:	Canis familiaris (Dog) (Canis lupus familiaris)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target:	NPC2
Alternative Name:	Epididymal secretory protein E1 (NPC2) (NPC2 Products)

Target Details

Background:	Recommended name: Epididymal secretory protein E1. Alternative name(s): Niemann Pick type C2 protein homolog cE1
Molecular Weight:	16 kD
UniProt:	Q28895
Pathways:	SARS-CoV-2 Protein Interactome

Application Details

Comment:


The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.



SDS-PAGE

Image 1. Niemann-Pick Disease, Type C2 (NPC2) (AA 22-149), (full length) protein (His tag)