

# Datasheet for ABIN7479567

# **Transferrin Protein (TF) (full length)**



()	ve	r\/i	Δ	۱۸/
$\circ$	V C	1 V		v v

Quantity:	1 mg
Target:	Transferrin (TF)
Protein Characteristics:	full length
Origin:	Human
Host:	Please inquire
Protein Type:	Native
Application:	Western Blotting (WB), ELISA

#### **Product Details**

Characteristics:	Full length native Human Transferrin
Purification:	Purified from Human plasma
Purity:	> 90 %(SDS-PAGE)

# **Target Details**

Target:	Transferrin (TF)	
Alternative Name:	Transferrin protein (TF Products)	
Background:	Background: Transferrin is a single polypeptide chain glycoprotein and is a member of the iron binding family of proteins. It has a molecular weight of 77 kDa and a serum concentration range of 1800 to 2700 mg/L. It is synthesized in the liver and consists of two domains each	
	having a high affinity reversible binding site for Fe3+. Iron is transported in blood and interstitial fluids to sites of use and disposal. Iron/transferrin is essential in hemoglobin synthesis and for	

#### **Target Details**

certain types of cell division. Serum concentration rises in iron deficiency and pregnancy and falls in iron overload, infection and inflammatory conditions. The function of transferrin is to transport iron from the intestine, reticuloendothelial system, and liver parenchymal cells to all proliferating cells in the body. In addition to its function in iron transport, this protein may also have a physiologic role as granulocyte/pollen binding protein (GPBP) involved in the removal of certain organic matter/allergens from serum. Synonyms: Serotransferrin, Beta-1 metal-binding globulin, Siderophilin.

Pathways:

Transition Metal Ion Homeostasis

# **Application Details**

Restrictions:

For Research Use only

#### Handling

Format: Lyophilized

Buffer:

PBS