antibodies - online.com







anti-S100A13 antibody (AA 51-98)

Images



\sim					
	1//	⊃r	V/I	Φ\	Λ

Quantity:	100 μL
Target:	S100A13
Binding Specificity:	AA 51-98
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This S100A13 antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details


Immunogen:	KLH conjugated synthetic peptide derived from human S100A13
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target: S100A13


Target Details

Alternative Name:	S100A13 (S100A13 Products)		
Background:	Synonyms: Protein S100-A13, S100 calcium-binding protein A13, S100A13		
3 11 1	Background: Plays a role in the export of proteins that lack a signal peptide and are secreted by		
	an alternative pathway. Binds two calcium ions per subunit. Binds one copper ion. Binding of		
	one copper ion does not interfere with calcium binding. Required for the copper-dependent		
	stress-induced export of IL1A and FGF1. The calcium-free protein binds to lipid vesicles		
	containing phosphatidylserine, but not to vesicles containing phosphatidylcholine (By		
	similarity).		
Gene ID:	6284		
UniProt:	Q99584		
Pathways:	S100 Proteins		
Application Details			
Application Notes:	ELISA 1:500-1000		
	IHC-P 1:200-400		
	IHC-F 1:100-500		
	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	4 °C,-20 °C		
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Expiry Date:	12 months		



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded mouse heart labeled with Anti-S100A13 Polyclonal Antibody, Unconjugated (ABIN748073) at 1:200 followed by conjugation to the secondary antibody and DAB staining.



Immunohistochemistry

Image 2. Formalin-fixed and paraffin embedded human gastric carcinoma labeled with Anti-S100A13 Polyclonal Antibody, Unconjugated (ABIN748073) at 1:200 followed by conjugation to the secondary antibody and DAB staining.