antibodies - online.com







anti-CLEC5A antibody (AA 101-190) (Cy5.5)



| () | 11/0 | K\ / | iew | 1 |
|-----|--------|--------|---------------------|---|
| | \cup | 'I V/I | $\square \vee \vee$ | ı |
| | | | | |

| Quantity: | 100 μL |
|----------------------|---|
| Target: | CLEC5A |
| Binding Specificity: | AA 101-190 |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CLEC5A antibody is conjugated to Cy5.5 |
| Application: | Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from mouse CLEC5A |
|-----------------------|--|
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse |
| Predicted Reactivity: | Rat,Cow,Pig,Horse,Rabbit |
| Purification: | Purified by Protein A. |

Target Details

| Target: | CLEC5A |
|-------------------|--------------------------|
| Alternative Name: | CLEC5A (CLEC5A Products) |

Target Details

| rangerbetane | | |
|---------------------|---|--|
| Background: | Synonyms: Mdl1, Ly100, MDL-1, Clecsf5, C-type lectin domain family 5 member A, C-type lectin | |
| | superfamily member 5, Myeloid DAP12-associating lectin 1, Clec5a | |
| | Background: Functions as a positive regulator of osteoclastogenesis. Cell surface receptor that | |
| | signals via TYROBP. Regulates inflammatory responses. Acts as a key regulator of synovial | |
| | injury and bone erosion during autoimmune joint inflammation. Critical macrophage receptor | |
| | for dengue virus serotypes 1-4. The binding of dengue virus to CLEC5A triggers signaling | |
| | through phosphylation of TYROBP, this interaction does not result in viral entry but stimulates | |
| | proinflammatory cytokine release. | |
| Gene ID: | 23845 | |
| UniProt: | Q9R007 | |
| Application Details | | |
| Application Notes: | FCM 1:20-100 | |
| | IF(IHC-P) 1:50-200 | |
| | IF(IHC-F) 1:50-200 | |
| | IF(ICC) 1:50-200 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and | |
| | 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be | |
| | handled by trained staff only. | |
| Storage: | -20 °C | |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 12 months | |
| | | |