antibodies - online.com







anti-CTSC antibody (AA 365-463)



()	1/0	r\ / I	014	
()	ve	I V I	-v	V

Quantity:	100 μL
Target:	CTSC
Binding Specificity:	AA 365-463
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CTSC antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DPP-I
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Pig,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.
Target Details	

Larget Details

Target:	CTSC		

Target Details

Alternative Name:	Cathonain C/DDD1 (CTCC Dradusts)
Alternative Name:	Cathepsin C/DPP1 (CTSC Products)
Background:	Synonyms: Dipeptidyl peptidase I, Al047818, CATC, Cathepsin C, Cathepsin J, CPPI, CTSC,
	Dipeptidyl peptidase 1, Dipeptidyl transferase, DPP I, DPPI, EC 3.4.14.1, HMS, JP, JPD,
	MGC126959, PALS, PLS.
	Background: The protein encoded by this gene, a member of the peptidase C1 family, is a
	lysosomal cysteine proteinase that appears to be a central coordinator for activation of many
	serine proteinases in immune/inflammatory cells. It is composed of a dimer of disulfide-linked
	heavy and light chains, both produced from a single protein precursor, and a residual portion of
	the propeptide acts as an intramolecular chaperone for the folding and stabilization of the
	mature enzyme. This enzyme requires chloride ions for activity and can degrade glucagon.
	Defects in the encoded protein have been shown to be a cause of Papillon-Lefevre syndrome,
	an autosomal recessive disorder characterized by palmoplantar keratosis and periodontitis.
	Multiple transcript variants encoding different isoforms have been found for this gene.
	[provided by RefSeq].
Gene ID:	1075
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Handling

	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months