

# Datasheet for ABIN748967

## anti-TSHB antibody (AA 51-138) (HRP)



### Overview

**Target Details** 

Alternative Name:

Background:

Target:

**TSHB** 

Tshb (TSHB Products)

Quantity:	100 μL		
Target:	TSHB		
Binding Specificity:	AA 51-138		
Reactivity:	Human		
Host:	Mouse		
Clonality:	Polyclonal		
Conjugate:	This TSHB antibody is conjugated to HRP		
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry		
	(Frozen Sections) (IHC (fro))		
Product Details			
Immunogen:	KLH conjugated synthetic peptide derived from human TSHB		
Isotype:	IgG		
Predicted Reactivity:	Human,Mouse,Rat,Cow,Pig,Horse,Rabbit		
Purification:	Purified by Protein A.		

Synonyms: CHNG4, Thyroid stimulating hormone beta subunit, Thyroid stimulating hormone,

beta precursor, Thyrotropin beta subunit, TSHB.

Background: Thyroid stimulating hormone, also known as thyrotropin, is secreted from cells in the anterior pituitary called thyrotrophs, finds its receptors on epithelial cells in the thyroid gland, and stimulates that gland to synthesize and release thyroid hormones. TSH is a glycoprotein hormone composed of two subunits which are non covalently bound to one another. The alpha subunit of TSH is also present in two other pituitary glycoprotein hormones, follicle stimulating hormone and luteinizing hormone, and, in primates, in the placental hormone chorionic gonadotropin. Each of these hormones also has a unique beta subunit, which provides receptor specificity. In other words, TSH is composed of alpha subunit bound to the TSH beta subunit, and TSH associates only with its own receptor. Free alpha and beta subunits have essentially no biological activity.

Gene ID: 7252

Pathways: Thyroid Hormone Synthesis, Peptide Hormone Metabolism

#### **Application Details**

Application Notes: IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months