# antibodies -online.com





Datasheet for ABIN748975

## anti-TSH antibody (AA 51-138) (Biotin)



( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	100 μL
Target:	TSH
Binding Specificity:	AA 51-138
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TSH antibody is conjugated to Biotin
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TSHB
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

#### **Target Details**

Target:	TSH
Alternative Name:	TSH (TSH Products)

Target Details	
Background:	Synonyms: CHNG4, Thyroid stimulating hormone beta subunit, Thyroid stimulating hormone,
	beta precursor, Thyrotropin beta subunit, TSHB.
	Background: Thyroid stimulating hormone, also known as thyrotropin, is secreted from cells in
	the anterior pituitary called thyrotrophs, finds its receptors on epithelial cells in the thyroid
	gland, and stimulates that gland to synthesize and release thyroid hormones. TSH is a
	glycoprotein hormone composed of two subunits which are non covalently bound to one
	another. The alpha subunit of TSH is also present in two other pituitary glycoprotein hormones,
	follicle stimulating hormone and luteinizing hormone, and, in primates, in the placental hormone
	chorionic gonadotropin. Each of these hormones also has a unique beta subunit, which
	provides receptor specificity. In other words, TSH is composed of alpha subunit bound to the
	TSH beta subunit, and TSH associates only with its own receptor. Free alpha and beta subunits
	have essentially no biological activity.
Gene ID:	7252
UniProt:	P01222
Application Details	
Application Notes:	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months