

# Datasheet for ABIN7490659 SARS-CoV-2 Spike Protein (B.1.617.2 - delta, RBD) (Fc Tag)

4 Images



Overview

Quantity:	100 µg
Target:	SARS-CoV-2 Spike
Protein Characteristics:	B.1.617.2 - delta, RBD
Origin:	SARS Coronavirus-2 (SARS-CoV-2), SARS CoV-2 Delta
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This SARS-CoV-2 Spike protein is labelled with Fc Tag.

### Product Details

Purpose:	Recombinant SARS-CoV-2 RBD(L452R, T478K) protein with C-terminal human Fc tag
Specificity:	S protein RBD (L452Rand T487K) (Arg319-Phe541) hFc (Glu99-Ala330)
Characteristics:	Extracellular Domain Protein
Purification:	Purified from cell culture supernatant by affinity chromatography
Purity:	The purity of the protein is greater than 95 $\%$ as determined by SDS-PAGE and Coomassie blue
	staining.

### Target Details

Target:	SARS-CoV-2 Spike
Abstract:	SARS-CoV-2 Spike Products
Target Type:	Viral Protein

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7490659 | 07/24/2024 | Copyright antibodies-online. All rights reserved.

## Target Details

Expiry Date:


Background:	SARS-CoV-2 (Severe Acute Respiratory Syndrome Coronavirus 2) also known as Covid19 (2019
	Novel Coronavirus) is a virus that causes illnesses ranging from the common cold to severe
	diseases. The spike protein is a type I transmembrane protein containing two subunits, S1 and
	S2. S1 mainly contains a receptor binding domain (RBD), which accounts for recognizing the
	cell surface receptor, ACE2. S2 contains basic elements needed for the membrane fusion.
	Recent publications indicate that S1-RBD domain can induce virus neutralizing-antibody and T
	cell response.
Molecular Weight:	predicted molecular mass of 51.2 kDa after removal of the signal peptide. The apparent
	molecular mass of RBD(L452Rand T487K)-hFc is 55-70 kDa due to glycosylation.
UniProt:	PODTC2
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Buffer:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants
	before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended fo


use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient temperature.


12 months

CoV-2 (Delta) S-RBD, hFc Tagged protein ELISA 0.2 µg of CoV-2 (Delta) S-RBD, hFc tagged protein per well





CoV-2 (Delta) S-RBD, hFc Tagged protein ELISA 0.2 μg of CoV-2 (Delta) S-RBD, hFc tagged protein per well



#### ELISA

**Image 1.** ELISA plate pre-coated by 2 μg/mL (100 μL/well) SARS-CoV-2 (Delta) S protein RBD , hFc Tag (ABIN7455412, ABIN7490657 and ABIN7490659) can bind Anti-SARS-CoV-2 RBD antibody (DM55), Rabbit mAb ABIN6964063, ABIN7272681 and ABIN7289670 in a linear range of 0.244-15.625 ng/mL.

### SDS-PAGE

**Image 2.** SARS-CoV-2 (2019-nCoV) S protein RBD(L452R & T487K), hFc Tag on SDS-PAGE under reducing condition.

#### ELISA

**Image 3.** ELISA plate pre-coated by 2 μg/mL (100 μL/well) SARS-CoV-2 (Delta) S protein RBD , hFc Tag (ABIN7455412, ABIN7490657 and ABIN7490659) can bind Human Protein, mFc Tag ABIN6961130, ABIN7042289 and ABIN7042290 in a linear range of 4.115-3000 ng/mL.

Please check the product details page for more images. Overall 4 images are available for ABIN7490659.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7490659 | 07/24/2024 | Copyright antibodies-online. All rights reserved.