

Datasheet for ABIN7491091  
**AGR2 Protein (AA 21-175) (Fc Tag)**



[Go to Product page](#)

1 Image

## Overview

Quantity:	100 µg
Target:	AGR2
Protein Characteristics:	AA 21-175
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This AGR2 protein is labelled with Fc Tag.

## Product Details

Purpose:	Recombinant human AGR2 protein with C-terminal human Fc tag
Specificity:	AGR2 (Arg21-Leu175) hFc (Glu99-Ala330)
Characteristics:	Extracellular Domain Protein
Purification:	Purified from cell culture supernatant by affinity chromatography
Purity:	The purity of the protein is greater than 95 % as determined by SDS-PAGE and Coomassie blue staining.

## Target Details

Target:	AGR2
Alternative Name:	<a href="#">AGR2 (AGR2 Products)</a>
Background:	This gene encodes a member of the disulfide isomerase (PDI) family of endoplasmic reticulum

## Target Details

---

(ER) proteins that catalyze protein folding and thiol-disulfide interchange reactions. The encoded protein has an N-terminal ER-signal sequence, a catalytically active thioredoxin domain, and a C-terminal ER-retention sequence. This protein plays a role in cell migration, cellular transformation and metastasis and is as a p53 inhibitor. As an ER-localized molecular chaperone, it plays a role in the folding, trafficking, and assembly of cysteine-rich transmembrane receptors and the cysteine-rich intestinal glycoprotein mucin. This gene has been implicated in inflammatory bowel disease and cancer progression. [provided by RefSeq, Mar 2017]

---

Molecular Weight: predicted molecular mass of 44.0 kDa after removal of the signal peptide. The apparent molecular mass of AGR2-hFc is 35-55 kDa due to glycosylation.

---

UniProt: [O95994](#)

## Application Details

---

Restrictions: For Research Use only

## Handling

---

Format: Lyophilized

---

Buffer: Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization.

---


Storage: -20 °C,-80 °C

---

Storage Comment: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).  
Lyophilized proteins are shipped at ambient temperature.

---

Expiry Date: 12 months



### SDS-PAGE

**Image 1.** Human Protein, hFc Tag on SDS-PAGE under reducing condition.