



Datasheet for ABIN7491531

## F4/80 Protein



[Go to Product page](#)

### 2 Images

#### Overview

Quantity:	100 µg
Target:	F4/80 (EMR1)
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Synthetic Nanodisc

#### Product Details

Purpose:	Human ADGRE1 full length protein-synthetic nanodisc
Characteristics:	Unlike other membrane scaffold protein (MSP) Nanodisc on the market, our synthetic Nanodisc can be prepared directly from the cells. The polymers used during this process have a dual function. It dissolves the cell membranes, like the detergent, and uses cellular phospholipids to form Nanodisc around the membrane proteins. The target protein embedded Nanodiscs can then be purified.

#### Target Details

Target:	F4/80 (EMR1)
Alternative Name:	ADGRE1 ( <a href="#">EMR1 Products</a> )
Background:	This gene encodes apolipoprotein A-I, which is the major protein component of high density lipoprotein (HDL) in plasma. The encoded preproprotein is proteolytically processed to generate the mature protein, which promotes cholesterol efflux from tissues to the liver for excretion, and is a cofactor for lecithin cholesterolacyltransferase (LCAT), an enzyme responsible for the formation of most plasma cholesteryl esters. This gene is closely linked with two other

## Target Details

---

apolipoprotein genes on chromosome 11. Defects in this gene are associated with HDL deficiencies, including Tangier disease, and with systemic non-neuropathic amyloidosis. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein. [provided by RefSeq, Dec 2015]

Molecular Weight: The human full length ADGRE1 protein has a MW of 97.5 kDa

UniProt: [Q14246](#)

## Application Details

---

Comment: Advantages of Synthetic Nanodiscs:

- Highly purified membrane proteins
- High solubility in aqueous solutions
- High stability
- Proteins are in a native membrane environment and remain biologically active
- No detergent and can be used for cell-based assays
- No MSP backbone proteins

Limitations of Synthetic Nanodiscs:

- Intolerant to acids and high concentrations of divalent metal ions

Restrictions: For Research Use only

## Handling

---


Format: Lyophilized

Buffer: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5 % - 8 % trehalose is added as protectants before lyophilization.

Storage: -20 °C,-80 °C

Storage Comment: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.


Expiry Date: 12 months



### SDS-PAGE

**Image 1.** Human AD-Nanodisc, Flag Tag on SDS-PAGE

**ELISA assay to evaluate ADGRE1-Nanodisc**  
0.2µg Human ADGRE1-Nanodisc per well



### ELISA

**Image 2.** Elisa plates were pre-coated with Flag Tag AD-Nanodisc (0.2 µg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with AD-Nanodisc is 3.996 ng/mL.