

Datasheet for ABIN7491605

Claudin 6 Protein-VLP (CLDN6)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	Claudin 6 (CLDN6)
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	VLP

Product Details

Purpose:	Human CLDN6 full length protein-VLP
Characteristics:	VLP

Target Details

Target:	Claudin 6 (CLDN6)
Alternative Name:	CLDN6 (CLDN6 Products)
Background:	<p>Tight junctions represent one mode of cell-to-cell adhesion in epithelial or endothelial cell sheets, forming continuous seals around cells and serving as a physical barrier to prevent solutes and water from passing freely through the paracellular space. These junctions are comprised of sets of continuous networking strands in the outwardly facing cytoplasmic leaflet, with complementary grooves in the inwardly facing extracytoplasmic leaflet. This gene encodes a component of tight junction strands, which is a member of the claudin family. The protein is an integral membrane protein and is one of the entry cofactors for hepatitis C virus. The gene methylation may be involved in esophageal tumorigenesis. This gene is adjacent to another family member CLDN9 on chromosome 16.</p>

Target Details

Molecular Weight: The human full length CLDN6 Protein has a MW of 23 kDa

UniProt: [P56747](#)

Pathways: [Hepatitis C](#)

Application Details

Comment: Virus-like particles (VLPs) are self-assembling multi-protein nanoparticles with similar structural organization and conformation as viruses but without viral genome. The size of the VLP is about 100-150nm. It is secreted from the surface of the cells that express target membrane proteins (MPs). The purified VLPs have the target MPs inserted in a complete bilayer phospholipid membrane structure, mimic the natural membrane-penetrating state of the protein.

VLPs can be used for routine biochemical analysis, including ELISA, SPR affinity analysis, phage display screenings, protein labeling and cell binding experiments, Flow virometry analysis, etc. It can also be used as functional protein antigens to develop active antibodies with high drug potentials because the target protein on VLP exhibits a state like its native state on the cell surface.

Restrictions: For Research Use only

Handling


Format: Lyophilized

Buffer: Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization.

Storage: -20 °C, -80 °C

Storage Comment: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).
Lyophilized proteins are shipped at ambient temperature.

Expiry Date: 12 months



ELISA

Image 1. Elisa plates were pre-coated with 0.5 µg/per well purified human C full length VLP. Serial diluted anti-C monoclonal antibody (ABIN7477987 and ABIN7490912) solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-C monoclonal antibody binding with C full length VLP is 5.616 ng/mL.