

Datasheet for ABIN7491613

**CMKLR1 Protein****2** Images[Go to Product page](#)

## Overview

Quantity:	100 µg
Target:	CMKLR1
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Synthetic Nanodisc

## Product Details

Purpose:	Human CMKLR1 full length protein-synthetic nanodisc
Characteristics:	Unlike other membrane scaffold protein (MSP) Nanodisc on the market, our synthetic Nanodisc can be prepared directly from the cells. The polymers used during this process have a dual function. It dissolves the cell membranes, like the detergent, and uses cellular phospholipids to form Nanodisc around the membrane proteins. The target protein embedded Nanodiscs can then be purified.

## Target Details

Target:	CMKLR1
Alternative Name:	CMKLR1 ( <a href="#">CMKLR1 Products</a> )
Background:	Receptor for the chemoattractant adipokine chemerin/RARRES2 and for the omega-3 fatty acid derived molecule resolvin E1. Interaction with RARRES2 induces activation of intracellular signaling molecules, such as SKY, MAPK1/3 (ERK1/2), MAPK14/P38MAPK and PI3K leading to multifunctional effects, like, reduction of immune responses, enhancing of adipogenesis and angiogenesis. Resolvin E1 down-regulates cytokine production in macrophages by reducing the

## Target Details

activation of MAPK1/3 (ERK1/2) and NF-kappa-B. Positively regulates adipogenesis and adipocyte metabolism. Acts as a coreceptor for several SIV strains (SIVMAC316, SIVMAC239, SIVMACL7E-FR and SIVSM62A), as well as a primary HIV-1 strain (92UG024-2).

Molecular Weight: The human full length CMKLR1 protein has a MW of 42.3 kDa

UniProt: [Q99788](#)

## Application Details

Comment: Advantages of Synthetic Nanodiscs:

- Highly purified membrane proteins
- High solubility in aqueous solutions
- High stability
- Proteins are in a native membrane environment and remain biologically active
- No detergent and can be used for cell-based assays
- No MSP backbone proteins

Limitations of Synthetic Nanodiscs:

- Intolerant to acids and high concentrations of divalent metal ions

Restrictions: For Research Use only

## Handling


Format: Lyophilized

Buffer: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5 % - 8 % trehalose is added as protectants before lyophilization.

Storage: -20 °C,-80 °C

Storage Comment: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.


Expiry Date: 12 months



SDS-PAGE

Image 1. Human CM-Nanodisc, Flag Tag on SDS-PAGE

ELISA assay to evaluate CMKLR1-Nanodisc  
0.2µg Human CMKLR1-Nanodisc per well



ELISA

Image 2. Elisa plates were pre-coated with Flag Tag CM-Nanodisc (0.2 µg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with CM-Nanodisc is 2.107 ng/mL.