

Datasheet for ABIN7491675

GRM2 Protein

2 Images



Go to Product page

Overview

Quantity:	100 μg
Target:	GRM2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Synthetic Nanodisc

Product Details

Purpose:	Human GRM2 full length protein-synthetic nanodisc
Characteristics:	Unlike other membrane scaffold protein (MSP) Nanodisc on the market, our synthetic Nanodisc
	can be prepared directly from the cells. The polymers used during this process have a dual
	function. It dissolves the cell membranes, like the detergent, and uses cellular phospholipids to
	form Nanodisc around the membrane proteins. The target protein embedded Nanodiscs can
	then be purified.

Target Details

Target:	GRM2
Alternative Name:	GRM2 (GRM2 Products)
Background:	L-glutamate is the major excitatory neurotransmitter in the central nervous system and activates both ionotropic and metabotropic glutamate receptors. Glutamatergic
	neurotransmission is involved in most aspects of normal brain function and can be perturbed in
	many neuropathologic conditions. The metabotropic glutamate receptors are a family of G
	protein-coupled receptors, that have been divided into 3 groups on the basis of sequence

	homology, putative signal transduction mechanisms, and pharmacologic properties. Group I includes GRM1 and GRM5 and these receptors have been shown to activate phospholipase C. Group II includes GRM2 and GRM3 while Group III includes GRM4, GRM6, GRM7 and GRM8. Group II and III receptors are linked to the inhibition of the cyclic AMP cascade but differ in their agonist selectivities.
Molecular Weight:	The human full length GRM2 protein has a MW of 95.6 kDa
UniProt:	Q14416
Pathways:	cAMP Metabolic Process, Dicarboxylic Acid Transport

Application Details

Comment:	Advantages of Synthetic Nanodiscs:		
	• +	Highly purified membrane proteins	
	•	High solubility in aqueous solutions	

- High stability
- · Proteins are in a native membrane environment and remain biologically active
- No detergent and can be used for cell-based assays
- No MSP backbone proteins

Limitations of Synthetic Nanodiscs:


• Intolerant to acids and high concentrations of divalent metal ions

Restrictions:


For Research Use only

Handling

Format:	Lyophilized
Buffer:	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Expiry Date:	12 months



ELISA assay to evaluate GMR2-Nanodisc 0.2µg Human GRM2-Nanodisc per well



SDS-PAGE

Image 1. Human - Nanodisc, Flag Tag on SDS-PAGE

ELISA

Image 2. Elisa plates were pre-coated with Flag Tag - Nanodisc (0.2 μg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with -Nanodisc is 2.794 ng/mL.