Datasheet for ABIN7491687

LGR4 Protein

2 Images

Go to Product page

Overview

Quantity:	100 µg
Target:	LGR4
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Synthetic Nanodisc

Product Details

Purpose:	Human LGR4 full length protein-synthetic nanodisc
Characteristics:	Unlike other membrane scaffold protein (MSP) Nanodisc on the market, our synthetic Nanodisc can be prepared directly from the cells. The polymers used during this process have a dual function. It dissolves the cell membranes, like the detergent, and uses cellular phospholipids to form Nanodisc around the membrane proteins. The target protein embedded Nanodiscs can then be purified.

Target Details

Target:	LGR4
Alternative Name:	LGR4 (LGR4 Products)
Background:	Receptor for R-spondins that potentiates the canonical Wnt signaling pathway and is involved in the formation of various organs. Upon binding to R-spondins (RSPO1, RSPO2, RSPO3 or RSPO4), associates with phosphorylated LRP6 and frizzled receptors that are activated by extracellular Wnt receptors, triggering the canonical Wnt signaling pathway to increase expression of target genes. In contrast to classical G-protein coupled receptors, does not

Target Details

	activate heterotrimeric G-proteins to transduce the signal. Its function as activator of the Wnt signaling pathway is required for the development of various organs, including liver, kidney, intestine, bone, reproductive tract and eye.
Molecular Weight:	The human full length LGR4 protein has a MW of 104.5 kDa
UniProt:	Q9BXB1

Application Details

Comment:	Advantages of Synthetic Nanodiscs: • Highly purified membrane proteins • High solubility in aqueous solutions • High stability • Proteins are in a native membrane environment and remain biologically active • No detergent and can be used for cell-based assays • No MSP backbone proteins Limitations of Synthetic Nanodiscs: • Intolerant to acids and high concentrations of divalent metal ions
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Buffer:	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Expiry Date:	12 months



SDS-PAGE

Image 1. Human -Nanodisc, Flag Tag on SDS-PAGE



ELISA

Image 2. Elisa plates were pre-coated with Flag Tag -Nanodisc (0.2 μg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with -Nanodisc is 5.224 ng/mL.