



Datasheet for ABIN7491723

PVRIG Protein



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	PVRIG
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Synthetic Nanodisc

Product Details

Purpose:	Human PVRIG full length protein-synthetic nanodisc
Characteristics:	Unlike other membrane scaffold protein (MSP) Nanodisc on the market, our synthetic Nanodisc can be prepared directly from the cells. The polymers used during this process have a dual function. It dissolves the cell membranes, like the detergent, and uses cellular phospholipids to form Nanodisc around the membrane proteins. The target protein embedded Nanodiscs can then be purified.

Target Details

Target:	PVRIG
Alternative Name:	PVRIG (PVRIG Products)
Background:	Cell surface receptor for NECTIN2. May act as a coinhibitory receptor that suppresses T-cell receptor-mediated signals. Following interaction with NECTIN2, inhibits T-cell proliferation. Competes with CD226 for NECTIN2-binding.
Molecular Weight:	The human full length PVRIG protein has a MW of 34.3 kDa

Target Details

UniProt: [Q6DKI7](#)

Application Details

Comment: Advantages of Synthetic Nanodiscs:

- Highly purified membrane proteins
- High solubility in aqueous solutions
- High stability
- Proteins are in a native membrane environment and remain biologically active
- No detergent and can be used for cell-based assays
- No MSP backbone proteins

Limitations of Synthetic Nanodiscs:

- Intolerant to acids and high concentrations of divalent metal ions

Restrictions: For Research Use only

Handling


Format: Lyophilized

Buffer: Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0).
Normally 5 % - 8 % trehalose is added as protectants before lyophilization.

Storage: -20 °C,-80 °C

Storage Comment: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).
Lyophilized proteins are shipped at ambient temperature.


Expiry Date: 12 months



Western Blotting

Image 1. WB analysis of Human PVRIG-Nanodisc with anti-Flag monoclonal antibody at 1/5000 dilution, followed by Goat Anti-Rabbit IgG HRP at 1/5000 dilution

ELISA assay to evaluate PVRIG-Nanodisc
0.2µg Human PRVIG-Nanodisc per well



ELISA

Image 2. Elisa plates were pre-coated with Flag Tag PVRIG-Nanodisc (0.2 µg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with PVRIG-Nanodisc is 12.91 ng/mL.