-online.com antibodies

Datasheet for ABIN7491741 **SSTR2 Protein**



Overview	
Quantity:	100 µg
Target:	SSTR2
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Synthetic
Product Details	
Purpose:	Human SSTR2 full length protein-synthetic nanodisc
Characteristics:	Full Length Transmembrane Proteins (synthetic Nanodisc)
Target Details	
Target:	SSTR2
Alternative Name:	SSTR2 (SSTR2 Products)
Background:	SS-2-R, SS2-R, SS2R, SST2
	Description: Somatostatin acts at many sites to inhibit the release of many hormones and other
	secretory proteins. The biologic effects of somatostatin are probably mediated by a family of G
	protein-coupled receptors that are expressed in a tissue-specific manner. SSTR2 is a member
	of the superfamily of receptors having seven transmembrane segments and is expressed in
	highest levels in cerebrum and kidney.
Molecular Weight:	The human full length SSTR2 Protein has a MW of 41.2 kDa
UniProt:	P30874

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7491741 | 12/28/2023 | Copyright antibodies-online. All rights reserved.

Application Notes:	Applications for VLPs:
	• ELISA
	SPR affinity analysis
	Phage display screening
	Immunization
	Cell based assays
	CAR-T cell screening
	Protein cystal structure analysis
Comment:	Synthetic Nanodisc can be prepared directly from the cells. The polymers used during this
	process have a dual function. It dissolves the cell membranes, like the detergent, and uses
	cellular phospholipids to form Nanodisc around the membrane proteins. The target protein
	embedded Nanodiscs can then be purified.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Supplied in nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0)
Storage:	
	-20 °C,-80 °C
Storage Comment:	-20 °C,-80 °C Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for
	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).
	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for