# antibodies -online.com





# anti-TNFRSF11A antibody (AA 51-150)





Go to Product page

## Overview

Quantity:	100 μL
Target:	TNFRSF11A
Binding Specificity:	AA 51-150
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TNFRSF11A antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Flow Cytometry (FACS), Immunohistochemistry (Paraffinembedded Sections) (IHC (p)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunohistochemistry (Frozen Sections) (IHC (fro))

# **Product Details**


Immunogen:	KLH conjugated synthetic peptide derived from human CD265
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

# **Target Details**

Target:	TNFRSF11A
Alternative Name:	CD265 (TNFRSF11A Products)


# **Target Details**

rarget betano	
Background:	Synonyms: FEO, OFE, ODFR, OSTS, PDB2, RANK, CD265, OPTB7, TRANCER, LOH18CR1, Tumo
	necrosis factor receptor superfamily member 11A, Osteoclast differentiation factor receptor,
	Receptor activator of NF-KB, TNFRSF11A
	Background: Receptor for TNFSF11/RANKL/TRANCE/OPGL, essential for RANKL-mediated
	osteoclastogenesis. Involved in the regulation of interactions between T-cells and dendritic
	cells.
Gene ID:	8792
UniProt:	Q9Y6Q6
Pathways:	NF-kappaB Signaling
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	FCM 1:20-100
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months




# **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Formalin-fixed and paraffin embedded human spleen tissue labeled with Anti-RANK/CD265 Polyclonal Antibody, Unconjugated at 1:200 followed by conjugation to the secondary antibody, (SP-0023), and DAB staining



### **Immunohistochemistry**

**Image 2.** Formalin-fixed and paraffin embedded human spleen tissue labeled with Anti-RANK/CD265 Polyclonal Antibody, Unconjugated (ABIN749258) at 1:200 followed by conjugation to the secondary antibody, (SP-0023), and DAB staining



## **Immunofluorescence**

**Image 3.** Formalin-fixed and paraffin embedded rat brain tissue labeled with Anti-RANK/CD265 Polyclonal Antibody, Unconjugated (ABIN749258) at 1:200 followed by conjugation to the secondary antibody, Goat Anti-Rabbit IgG, Cy3 conjugated, and DAPI staining

Please check the product details page for more images. Overall 4 images are available for ABIN749258.