antibodies -online.com





anti-SLC16A3 antibody (AA 401-465) (HRP)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	SLC16A3
Binding Specificity:	AA 401-465
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC16A3 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MCT4
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	SLC16A3
Alternative Name:	MCT4 (SLC16A3 Products)

Target Details

9		
Background:	Synonyms: MCT3, MCT4, MCT 3, MCT 4, MCT-3, MCT-4, Monocarboxylate transporter 4, Solute	
	carrier family 16 member 3, SLC16A3	
	Background: Proton-linked monocarboxylate transporter. Catalyzes the rapid transport across	
	the plasma membrane of many monocarboxylates such as lactate, pyruvate, branched-chain	
	oxo acids derived from leucine, valine and isoleucine, and the ketone bodies acetoacetate, beta-	
	hydroxybutyrate and acetate (By similarity).	
Gene ID:	9123	
UniProt:	015427	
Pathways:	Warburg Effect	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	