# antibodies .- online.com







# anti-Afadin antibody (AA 341-440)



#### Overview

Quantity:	100 μL
Target:	Afadin (MLLT4)
Binding Specificity:	AA 341-440
Reactivity:	Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Afadin antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human AF6
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse
Purification:	Purified by Protein A.

#### Target Details

|--|

#### Target Details

Target Details		
Alternative Name:	Afadin (MLLT4 Products)	
Background:	Synonyms: p-AfadinSer1718, MLLT4, Protein AF6, AF6, Afadin, AFAD_HUMAN, ALL1-fused gene	
	from chromosome 6 protein, Protein AF-6.	
	Background: Afadin is a cell-cell adherens junction F-actin binding multidomain protein. Two	
	splice variants of afadin have been described: l-afadin, which is ubiquitously expressed, and the	
	smaller s-afadin, which is abundantly expressed in neural tissue. I-Afadin contains one PDZ	
	domain near its middle followed by three proline-rich and one F-actin-binding region at the	
	carboxyl-terminal. I/s-Afadin is localized to cell-cell junctions and binds several cytoplasmic	
	proteins such as the small GTPase Ras, the tight junction protein ZO-1, and the vinculin binding	
	protein ponsin/SH3P12.	
Gene ID:	4301	
Pathways:	Cell-Cell Junction Organization	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	

## Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months