

Datasheet for ABIN750412

anti-TMEM166 antibody (AA 51-152) (HRP)



_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

Overview		
Quantity:	100 μL	
Target:	TMEM166 (FAM176A)	
Binding Specificity:	AA 51-152	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TMEM166 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	
	initiationistochemistry (Paramin-embedded Sections) (IAC (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human TMEM166	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Cow,Pig,Horse	
Purification:	Purified by Protein A.	
Target Details		
Target:	TMEM166 (FAM176A)	
Alternative Name:	TMEM166 (FAM176A Products)	
Background:	Synonyms: FLJ13391, TMEM 166, Transmembrane protein 166, EVA1A_HUMAN.	

Background: TMEM166, also known as FAM176A (family with sequence similarity 176, member A), is a 152 amino acid protein encoded by a gene mapping to human chromosome 2. The second largest human chromosome, 2 consists of 237 million bases encoding over 1,400 genes and making up approximately 8 % of the human genome. A number of genetic diseases are linked to genes on chromosome 2. Harlequin icthyosis, a rare and morbid skin deformity, is associated with mutations in the ABCA12 gene. The lipid metabolic disorder sitosterolemia is associated with ABCG5 and ABCG8. An extremely rare recessive genetic disorder, Alstr syndrome is due to mutations in the ALMS1 gene. Interestingly, chromosome 2 contains what appears to be a vestigial second centromere and vestigial telomeres which gives credence to the hypothesis that human chromosome 2 is the result of an ancient fusion of two ancestral chromosomes seen in modern form today in apes.

Gene ID:

84141

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

\vdash	land	lına
	iaria	шц

Expiry Date:

12 months