antibodies -online.com





anti-Mesothelin antibody (AA 273-407)



Images



Go to Product page

()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μg
Target:	Mesothelin (MSLN)
Binding Specificity:	AA 273-407
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Mesothelin antibody is un-conjugated
Application:	Immunohistochemistry (Formalin-fixed Sections) (IHC (f))
Product Details	
Immunogen:	Recombinant fragment (around aa 273-407) of human Mesothelin (MSLN) protein (exact sequence is proprietary)
Isotype:	lgG1
Specificity:	Mesothelin is a 40 kDa glycosyl-phosphatidylinositol-anchored glycoprotein cleaved from a 69 kDa precursor protein. Mesothelin immunoreactivity is high in cancers of the ovary (serous papillary, endometrioid and undifferentiated) and pancreas, with less frequent staining seen in adenocarcinomas of the endometrium, lung and stomach/esophagus. Mesothelin is one of the most sensitive markers for mesothelioma.
Cross-Reactivity (Details):	Human.
Purification:	200ug/ml of Ab purified from Bioreactor Concentrate by Protein A/G.

Target Details

Target:	Mesothelin (MSLN)
Alternative Name:	MSLN (MSLN Products)
Background:	CAK1, Megakaryocyte potentiating factor, Mesothelin, MSLN, SMR, SMRP, Mesothelin (Mesothelial Marker) Cellular localisation: Cell Surface and Secreted
Molecular Weight:	40kDa (Mature form), 69kDa (Precursor)
Gene ID:	10232, 408488
UniProt:	Q13421
Pathways:	EGFR Signaling Pathway, Positive Regulation of Peptide Hormone Secretion, Intracellular Steroid Hormone Receptor Signaling Pathway, Steroid Hormone Mediated Signaling Pathway, Carbohydrate Homeostasis, cAMP Metabolic Process, Regulation of G-Protein Coupled Receptor Protein Signaling, Positive Regulation of Endopeptidase Activity, Regulation of Carbohydrate Metabolic Process

Application Details


Application Notes:	Positive Control: CAPAN-2 or HeLa cells. Lung Mesothelioma.	
	Known Application: Immunohistochemistry (Formalin-fixed) (1-2 µg/mL for 30 minutes at	
	RT),(Staining of formalin-fixed tissues requires heating tissue sections in 10 mM Tris with	
	1 mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes),Optimal	
	dilution for a specific application should be determined.	
Restrictions:	For Research Use only	
Handling		

Concentration:	200 μg/mL
Buffer:	Prepared in 10 mM PBS with 0.05 % BSA and 0.05 % azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-80 °C
Storage Comment:	Antibody with azide - store at 2 to 8 °C. Antibody is stable for 24 months. Non-hazardous. Also available WITHOUT BSA & azide at 1.0mg/ml.

Expiry Date:


24 months

Images




Protein Array

Image 1. Analysis of Protein Array containing more than 19,000 full-length human proteins using Mesothelin Mouse Monoclonal Antibody (MSLN/3384). Z- and S- Score: The Zscore represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProtTM array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProtTM are arranged in descending order of the Zscore, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to specific to its intended target, if the MAb has an S-score of at least 2.5. For example, if a MAb binds to protein X with a Z-score of 43 and to protein Y with a Z-score of 14, then the S-score for the binding of that MAb to protein X is equal to 29.



Immunohistochemistry

Image 2. Formalin-fixed, paraffin-embedded human Lung Mesothelioma stained with Mesothelin Mouse Monoclonal Antibody (MSLN/3384).



Immunohistochemistry

Image 3. Formalin-fixed, paraffin-embedded human Lung Mesothelioma stained with Mesothelin Mouse Monoclonal Antibody (MSLN/3384).

Please check the product details page for more images. Overall 5 images are available for ABIN7504135.