antibodies.com

## Datasheet for ABIN7504272 CD45 Protein (AA 26-427) (Fc Tag)



Overview

Quantity:	100 µg
Target:	CD45 (PTPRC)
Protein Characteristics:	AA 26-427
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD45 protein is labelled with Fc Tag.

## Product Details

Purpose:	Mouse CD45/PTPRC Protein
Sequence:	GIn26-Lys427
Characteristics:	Recombinant Mouse CD45/PTPRC Protein is expressed from HEK293 with hFc tag at the C- Terminus.It contains GIn26-Lys427.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per $\mu$ g by the LAL method.
Target Details	

Target:	CD45 (PTPRC)
Alternative Name:	CD45 (PTPRC Products)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7504272 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	PTPRC (also known as CD45),T cells require the protein tyrosine phosphatase CD45 to detect and respond to antigen because it activates the Src family kinase Lck, which phosphorylates the T cell antigen receptor (TCR) complex. CD45 ativates Lck by opposing the negative regulatory kinase Csk. Paradoxically, CD45 has also been implicated in suppressing TCR signaling by dephosphorylating the same signaling motifs within the TCR complex upon which Lck acts.
Molecular Weight:	71.46 kDa. Due to glycosylation, the protein migrates to 100-130 kDa based on Tris-Bis PAGE result.
Pathways:	TCR Signaling, Regulation of Leukocyte Mediated Immunity, Positive Regulation of Immune Effector Process, Production of Molecular Mediator of Immune Response, CXCR4-mediated Signaling Events, BCR Signaling
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
Expiry Date:	12 months