# antibodies .- online.com







## **CEACAM5 Protein (AA 35-685) (Biotin)**



#### Overview

Quantity:	100 μg
Target:	CEACAM5
Protein Characteristics:	AA 35-685
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CEACAM5 protein is labelled with Biotin.

#### **Product Details**

Purpose:	Biotinylated Human CEACAM-5/CD66e Protein
Sequence:	Lys35-Ala685
Characteristics:	Recombinant Biotinylated Human CEACAM-5/CD66e Protein is expressed from HEK293 with His tag and Avi tag at the C-terminus. It contains Lys35-Ala685.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.

#### **Target Details**

Target:	CEACAM5
Alternative Name:	CEACAM-5 (CEACAM5 Products)

### **Target Details**

Expiry Date:

12 months

rai got Botano	
Background:	Carcinoembryonic antigen-related cell adhesion molecule 5 (CEACAM5) was identified as a metastatic driver. CEACAM5 overproduction enriched for an epithelial gene expression pattern and facilitated tumor outgrowth at metastatic sites. Tissues from patients with metastatic breast cancer confirmed elevated levels of CEACAM5 in lung metastases relative to breast tumors, and an inverse correlation between CEACAM5 and the mesenchymal marker vimentin was demonstrated.
Molecular Weight:	74.23 kDa. Due to glycosylation, the protein migrates to 110-150 kDa based on Tris-Bis PAGE result.
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22µm filtered solution in 20 mM PBS (pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt.,-80°C for 3-6 months after reconstitution.,2-8°C for 2-7 days after reconstitution.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
E . B .	